### AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	Elk Valley L	and Corp	Оре	rator Wel	No.: 626	407		
LOCATION:	Elevation: 10	52'	Qu	adrangle:	Gassaw	ay 7 1/2		
	District: Bird			unty:	Braxtor			
	Latitude: 12,	175 Feet	South of 38	•	2 Min	30	Sec.	•
	Longitude: 53		West of 80				oec. Sec.	
Well Type: (	OILGA				·	···	060.	
		e Appalachia	Coal Operato	nt Fik Vel	ley I and Cor	<b>.</b>		
. ,	P.O. Box 6070		or Owner	P.O. B	<del></del>	P		
	Charleston, WV	25362		Gassa	way, WV 266	24		
			Coal Operate	or				<del></del>
Agent	Eric Gillespie	<del></del>	or Owner					Possined
Permit Issue	ed Date $0$	8/07/2013					000	Received
			AEEID	A\/IT			Om	ce of Oil & Gas
STATE OF W	EST VIRGINIA,	s:	AFFIDA	MVII				NOV <b>05</b> 2014
ocarity or	<u> </u>	J.						
Kevin Metz		and William Ad			being firs	t duly swo	orn according	to law depose
and say that the	ey are experienc	ed in the work of	plugging and filli	ing oil and	gas wells a	nd were em	ploved by the	above named
well operator,	and participated	in the work of plu	ugging and filli	ng the abo	ve well sav	that said	work was a	ommenced on
ule <u>or:</u>	day ofdust	20 <u>14</u> ,	and the well w	vas plugge	d and filled	in the folk	owing manne	r.
TYPE	FROM	ТС	)	PIPE REI	MOVED	<del>-                                    </del>	LEFT	
Cement	6425	6386		3990' 5			2553' 5 1/2	ja .
Cement	6370	6090	r				2000 0 112	
Cement	3984'	3250	i°		· · · · · · · · · · · · · · · · · · ·			-
Cement	2455	2343	ſ					
Cement	1030'	850						
Cement	100'	Surfac	ж					
				<del></del>				
Description of	f monument: 7"	Pipe 4' abovegroun	rd with API #		_	nel Abest Abes		-1
	ompleted on the			, 20 <u>14</u> .	&	no mat me	work of plug	ging and filling
	•					~	<del>~~~</del>	·····
And further of	leponents saith r	iot. Ken	~ Me	<b></b>		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Nota Nota	OFFICIAL SEAL try Public, State of West Virginia
		h.F.	D	,		\ <b>[</b> ]	Cia	ENISE SABOLOVICH Problems Publishing Company
Swom and s	ubscribe before	me this $\frac{t \sim 1}{3t l}$	was Octob	(,0	 20/4 1			PO Box 2000 Clarksburg, WV 26302 cmmission expires January 12, 2024
		no uno <u>,                                    </u>	, vi 17 (4 10 (	<u>y</u>	~ <u>~</u> //	11/1		
My commission	expires Janu	12, 202	24 _=	ans	VAa	bolowa	$\alpha$	
	U	J		, No	tary Public		<del></del>	
Affidavit reviewe	ed by the Office of	of Oil and Gas:	Byan O'	Hum	10-30	_/ Y / Title: _	Inspe	ectua
			/					

#### AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDA\ Well Operat their respect	or and th	е инасору (	PLICATE, o and extra c	ne copy ma opies if rec	iled to quired)	the Depa should b	rtment, one cop e mailed to ea	y to be reta ach coal o	ined by the perator at
Farm name:	O'Dell,	Douglas		Operate	or Wel	No.: 0.1	O.Stockley#	211	
LOCATION:	Elevation	1202'		Quadi	rangle:	Newto	on		Received
	District:	Henry		Count		Clay			Office of Oil & Gas
¥	Latitude:		Feet South	of	Deg	Mi	inSe	BC.	OCT 29 2014
							fin		001 20 2017
	OIL	GAS water inj.		1	asti	19 0	487448 4265504		
Company		lunter, LLC		Operator	N/A	J	124-1-1		
	125 Putna Marietta C	Ohio 45750	or C	wner					RECEIVED
	Wallotta C	7110 43730	Cor	l Operator	N/A			Office	of Oil and Gas
Agent	Kim Arr	nold		wner	14/1				101/ 0 0 000
Permit Issue	ed Date	2-28-2014						P	<del>9V-<b>0-6</b></del> 2014
well operator,	th by are expe	and Rot	COT pluaaina	ng and filling	oil and	gas wells	st duly sworn a and were employe y that said wor	Environ	nue named
	day or N	JOIDDB1	, 20 <u>14</u> , and	the well was	plugge	ed and fille	d in the following	manner:	
TYPE	-	ROM	TO	PIF	PE REI	MOVED		LEFT	
cement		165 050	1965 950		1030' of	4 1/2		1135'	
cement		120	320			<del></del>			
cement	1	100	0						· ·
And further d	eponents s		of October  Color of October  Color of October	La france	0 <u>14</u> .	20 14		OFFIC Notary Public, S BRIAI 349 E	and filling  HALSEAL tate Of Weet Virginia  MARKS III Creek WV 25286 pires October 25, 2023
My commission			23	_ γ.	3210	an W otary Public	arks		
	X	//	1						

Traspector 11/8/14 Did Not Witness 21/ plage

#### AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	Dobbins	, Deborał	ı J.		Operat	or Weil	No.: 1616	(65634	16)	
LOCATION:	Elevation	<sub>:</sub> 745			Quad	rangle:	Tanner			
	District:	DeKalb			Coun	ty:	Gilmer			
							Min		Sec.	•
	Longitude	e: <u>-80.9073</u>	358 Feet	West of _		_Deg.	Min.		 Sec.	
Well Type: (	וור	GAS X								
		_								
Company		oduction C	ompany						·	
		sional Place WV 26330		or Owne	<b>3</b> T		im Street od, OH 45212-2	2527		RECEIVED
	Disageport,	777 20330		Coal O <sub>l</sub>	nerator			2021		Office of Oil and Ga
Agent	John Da	mato		or Owne	•		adrieu			
Permit Issue		8/13/2014	}	. or owne				_	<del></del>	NOV <b>0 5</b> 2014
		\		Δ1	FFIDA\	ЛΤ				WV Department of
STATE OF W		NIA, _ ss:		^	IIIDA	<b>74.1</b>				Environmental Protect
		_								
Adam Daugher										g to law depose e above named
well operator, the 8th	and partici	pated in the s September	work of pl , 20 <u>14</u>	lugging an , and the v	d filling well was	the abo	ove well say to ed and filled i	that said in the folk	work was owing mann	commenced on er:
TYPE	F	ROM	T(	<b>O</b>	Pl	PE RE	MOVED		LEF1	
Gel	_	1662'	113	0,		1143' - 3'	casing	1	57' - 3"cas	sing
Cement		1130'	103							
Cement		910'	770	-	=			+		<del></del>
Cement		200'	350 surfa							
CO/ col botusco sh										
6% gel between plu						.1 /	-			
Description of said well was of		nt: 7" casi	day of Se	h numbe		ded 0 20 <u>14</u> .	on it and	d that the	work of plu	gging and filling
oala woll was c	ompiotoa o		uay or	0 1	, ,	20 <u>17</u> .				
And further	deponents :	saith not.	Conti	Japan P.			····			STATE OF WEST VIRGINIA NOTARY PUBLIC David N. Brannon HC 75 Box 410
Sworn and	subscribe b	efore me this	1,64	ay of <u>Ly</u>	ptem	by	, 20_14	2		Chice, WV 25235 My Commission Expires December 10, 2017
My commission	n expires:/	<u> Yeceml</u>	4 10,	2017	4	avro/	otary Public	ians	non	
Affidavit review	ed by the C	Office of Oil a	nd Gas: _	Sugar	0 'A	an.	9-26-1	Title:	Inspecto	<u>r</u>

### AFFIDAVIT OF PLUGGING AND FILLING WELL

	<u> </u>	A.E	Op	erator Well	<sub>No.:</sub> 1-W150 (1	61311)
LOCATION:	Elevation	<sub>:</sub> 765	Q			<del></del>
		Glenville			Gilmer	<del></del>
			Feet South of	-	Min.	Sec
			Feet West of			
	•					0ec.
Veil Type: O	OIL	_GAS <u>×</u>				
Company	EQT Pro	oduction Com	pany Coal Opera	itor Central	Energy Corp	
		sylvania Avenue	or Owner		il and Gas Co Inc	RECEIVED
	Charleston	, WV 25302		PO Box	397	
			Coal Opera	ator Gilmer,	WV 26351	Office of Oil and (
	John De	mato	or Owner			NOV <b>0.5</b> 2014
Permit Issue	ed Date	8-26-14	<del></del>			1907 <b>U:9</b> 2014
TATE OF WE punty of	byd_	_ ss: and Rod	ney Osborne		_being first duly	Environmental Protessessor according to law depose
19th	day of _	September	k of plugging and fi , 20 <u>14</u> , and the well	filling oil and ( illing the abov	gas wells and were /e well say that s d and filled in the f	employed by the above named
19th  TYPE  Class A Cement	day of _	ROM	k of plugging and fig. 2014, and the well	rilling oil and i illing the abov was plugged	gas wells and were we well say that s d and filled in the f	employed by the above named aid work was commenced on ollowing manner:
TYPE  Class A Cement  Class A Cement	day of	ROM 2047'	to f plugging and f f and the well TO	rilling oil and dilling the above was plugged	gas wells and were we well say that s d and filled in the f	employed by the above named aid work was commenced on ollowing manner:  LEFT
TYPE  Class A Cement  Class A Cement	day of	ROM 2047' 1201' 8882'	TO  1800'  1087'  691'	rilling oil and dilling the above was plugged	gas wells and were we well say that s d and filled in the f	employed by the above named aid work was commenced on ollowing manner:  LEFT  1166' of 4 1/2"
TYPE Class A Cement Class A Cement Class A Cement Class A Cement	day of	ROM 2047'	TO  1800' 1087' 691' 300'	rilling oil and dilling the above was plugged	gas wells and were we well say that s d and filled in the f	employed by the above named aid work was commenced on ollowing manner:  LEFT  1166' of 4 1/2"  393' of 10"
TYPE Class A Cement Class A Cement Class A Cement	day of	ROM 2047' 1201' 882' 441'	TO  1800'  1087'  691'	rilling oil and dilling the above was plugged	gas wells and were we well say that s d and filled in the f	employed by the above named aid work was commenced on ollowing manner:  LEFT  1166' of 4 1/2"  393' of 10"
TYPE Class A Cement Class A Cement Class A Cement Class A Cement	day of	ROM 2047' 1201' 882' 441'	TO 1800' 1087' 691' 300' Surface	rilling oil and gilling the above was plugged  PIPE REN  877' of 4	gas wells and were we well say that is and filled in the f	employed by the above named aid work was commenced on ollowing manner:  LEFT  1166' of 4 1/2"  393' of 10"
TYPE Class A Cement	day of	ROM 2047' 1201' 882' 441' 220'  ht: 7" casing w/ EC	TO 1800' 1087' 691' 300' Surface	PIPE REN 877' of 4	gas wells and were ye well say that s d and filled in the f	employed by the above named aid work was commenced on ollowing manner:  LEFT  1166' of 4 1/2"  393' of 10"
TYPE Class A Cement	day of	ROM 2047' 1201' 882' 441' 220'  ht: 7" casing w/ EC n the _25th day	TO 1800' 1087' 691' 300' Surface	PIPE REN 877' of 4  6% gel from 204  ground , 20 14.	gas wells and were ye well say that s d and filled in the f	employed by the above named aid work was commenced on ollowing manner:  LEFT  1166' of 4 1/2"  393' of 10"  40' of 16"
TYPE Class A Cement And further de	f monumer ompleted of sleponents s	ROM 2047' 1201' 882' 441' 220'  nt: 7" casing w/ EC n the 25th day saith not.	TO  1800'  1087'  691'  300'  Surface  AT and API # 36" above of September	PIPE REN 877' of 4  6% gel from 204  ground , 20 14.	gas wells and were ye well say that s d and filled in the f	employed by the above named aid work was commenced on ollowing manner:  LEFT  1166' of 4 1/2"  393' of 10"  40' of 16"
TYPE Class A Cement And further de	f monumer ompleted or leponents s	ROM 2047' 1201' 882' 441' 220'  ht: 7" casing w/ EC n the _25th day	TO  1800'  1087'  691'  300'  Surface  AT and API # 36" above of September	PIPE REM 877' of 4  6% gel from 204  ground  , 20 14.	gas wells and were ye well say that s d and filled in the f	employed by the above named aid work was commenced on ollowing manner:  LEFT  1166' of 4 1/2"  393' of 10"  40' of 16"

#### STATE OF WEST VIRGINIA DEPARTMENT OF ENERGY OIL AND GAS WELLS DIVISION

49.022968

#### AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner

1 BRIDGE ST. MONONGAH WV 26582
Address
CONSOLIDATION COAL CO.
Coal Operator or Owner

1 BRIDGE ST. MONONGAH WV 26582
Address
SMITH, RICHARD C. & SHIRLEY

Lease or Property Owner

110 HIGH STREET MANNINGTON WV 26582

Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE ST. MONONGAH, WV 26582
Complete Address
GLOVERS GAP 374
Well Location
MANNINGTON
District

MANNINGTON
District
Marion
County
5097
Well No.
M. KENNEDY
Farm

STATE INSPECTOR SUPERVISING PLUGGING SAN Hack-shall

**AFFIDAVIT** 

STATE OF WEST VIRGINIA, County of Monongalia ss:

DAVID YOST and DENNIS YOST being first duly sworm according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 25th day of April, 2014 and that the well was plugged in the following manner:

	Filling Material	Casing	Casing Pulled	Casing Left in	]
Formation		Size & Kind			1
Cleaned to 2484' to solid E Top 7" @ 1247' Bottom 7" 7" parted @ 2235', 1518', Top 8" @ 1141' bottom 8"	@ 2436'  378' to 1290'	8° 7°	0,	89' 1098'	
			Office (	CEIVE of OII ar	D d Gas
	4' back to surface as follows;		NO	V 0 5 20	4
2484: 1245' 205 Sa 1245' - 850' 220 Sa 850' - Surface 460 Sa			WV E	epartm	ent of
Pittsburgh Coal 980' - 987	•		Environi	Heritari	10.00
Coal Seams		Description of Monum	ent	I	·
(Name)		7" Pipe 6' High with Co			1
(Name)		API# 47-4902296 Well	# 5097		1
Name)		Date plugged at 5-23-14	1		
(Name)	gging and filling sold well was come		<del>-,</del>	·	

... And that the work of plugging and filling said well was completed on the 23rd day of May, 2014

And further deponents saith not.

ž .

Sworn to and subscribed before me this 2nd day of June, 2014
My Commission Expires:

June 17, 2023

Permit No. 47-4902296 Well# 5097

Notary Public



#### AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	Weekley, Terry G	. ( Metz, Sandra	) Operator	r Weil No	<sub></sub> B.F. Hawl	kins # 14	
LOCATION:	Elevation: 843' GI	_ ( 821' GPS )	Quadra	ınale: P	orters Falls		
	District: Ellswort						•
	Latitude: 39.5343	6 Feet South of	_ 0001113	· —	B.d.i.e.	0	- Deschad
	Longitude: -80.85	564 Feet West of	·	<sup>5</sup> 9 Deg	win Min	Sec. Sec.	Received Office of Oil & Gas
Well Type: (	DIL XGAS X						OCT 3 0 2014
Company	Triad Hunter, LL	C Coal C	perator	N/A			
	125 Putnam Street	or Own	-	1473	<del></del>		
	Maarietta, Ohio 45750		-				<del></del>
		Coal C	perator -	N/A			
Agent	Kim Arnold	or Own		<u> </u>		· · ·	<del></del>
Permit Issue	ed Date 1/02/20	14	_				
STATE OF Wasi	Ohio EST VIRGINIA, alington ss:	,	AFFIDAVI	Т			
Ben Smeltzer	an	d		ь	eina firet duly	sworn according	g to law depose
well operator,	ey are experienced in and participated in the day of August	work of plugging a	nd filling th	ne above	well say that s	said work was	commenced on
TYPE	FROM	ТО	PIP	E REMO	VED	LEFT	
100 sks. Class A	1703'	1554'		none		7" - 167	
40 sks. Class A	915'	710'		none		7" - 167	5'
73 sks. ClassA	220'	surface		none		as abov	е
i% gel spacers pum	ped between cement plugs	( 400 lbs. of gel pumped )		<del></del>			
Perforated 7" casing		& 4 holes from 201' - 202'					
otal cement pumpe	d = 213 sacks Class A	Circulated cement to surface					
•	of monument: 3' X 7" stompleted on the 3rd	eel monument pipe wit		attached	and that	the work of plu	gging and filling
And further	deponents saith not.	Bon f	met ht	<u> </u>	— (*)	11/10	ELIZABETH R. TEBAY
	subscribe before me th		ptemb	<u>.,</u> 20	N	*	NOTARY PUBLIC In and For The State of Ohio My Commission Expires
My commission	n expires <u> 2-29-1</u>	<u>6</u>	Ely	Nota	y Public	( TO )	
Affidavit review	red by the Office of Oil	and Gas: Much	al S	Y off		e: <u>0:1 4</u>	Gas Inspector

Farm name: Mercer, Wayne H. & Violet

## STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

#### AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Operator Well No . J.(Harris) Wood # 4

I OCATION:	Elevation: 827' GL	( 841' GPS	S) Overday	Por	ters Falls		
LOOATION.	District: Ellswwo			т.,			
				y <u>-</u>			Received
	Latitude: 39.5317	<u>'</u> Feet So	outh of D	eg	_ Min	Sec.	Office of Oil & Gas
	Longitude: -80.86	<sup>202</sup> Feet W	/est of	Deg	Min	Sec.	
Well Type: C	IL X GAS X						OCT: 8 0 2014
Company	Triad Hunter, LL	C c	Coal Operator	N/A			
	125 Putnam Street		or Owner				<del></del>
,	Marietta, Ohio 45750		•				
Agent	Kim Arnold		Coal Operator of Owner	N/A			
Permit Issue	d Date 1/6/201						<del></del>
STATE OF WH	Ohio EST VIRGINIA, ington ss:		AFFIDAVI	т			
Ben Smeltzer	an			beir	ng first duly	sworn according	to law depose
and say that the	ey are experienced in	the work of plu	ugging and filling	oil and gas v	ells and were	employed by the	above named
the 9th	and participated in the day ofOctober	work of plugg 2014 a	ging and filling t Ind the well was	ne above we	I say that s	said work was co	ommenced on
		,,,		p.13900 0		ionoming manner	1•
TYPE	FROM	ТО	PIF	E REMOV	ED	LEFT	
100 sks. Class A	1740'	1700'	2" tbg.	- 1740, 5" csg	1540'	6 1/4" csg 1	645'
40 sks. Class A	1651'	1429'		None		6 1/4" csg 1	
30 sks. Class A	882'	716'		None		6 1/4" csg 1	
117 sks. Class A	252	Surface		None	<del></del>	6 1/4" csg 1	645'
6% gel spacers pump	ed between cement plugs	( 500 lbs.of gel pu	ımped )	-			
Perforated 6 1/4" cas	ing 4 shots from 830' to 831'	4 shots from 200'	to 201' Total Cem	ent Pumped = 2	87 sacks		
•	f monument: 3" X 6" sompleted on the 22nd				and that	the work of plug	ging and filling
	deponents saith not.			914.	-		ELIZATETH R TERAY
			7.	7	*	The second of	NO MAY PUBLIC
Sworn and s	ubscribe before me th	ts24+Cday	of Octobe	<u> </u>	4/0		In and for the State of Ohio  Ny Commission Expires
My commission	expires 3-29-1	6_	Eley	shet	L X.C		
Affidavit review	ed by the Office of Oil	and Gas: <u>7</u>	Richael_	Notary	Public Titl	0181 16/22/	Gas Inspecton

#### AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	Martin, Ronald D	). & Sandra	_Operator Well	No.: B.F. Hawkins	# 7 (100 ac.)	
	Elevation: 918' GI					
	District: Ellswort	h	_ County:	Tyler		Received
	Latitude: 39.5315	5 Feet South of	fDeg.	Min.	Sec.	Office of Oil & Gas
	Longitude: -80.85	126 Feet West of	Deg	Min	Sec.	OCT 3 0 2014
Well Type: 0	DIL X GAS X					
Company	Triad Hunter, LL		perator N/A			
1 1 1	125 Putnam Street	or Own	•		<del></del>	
	Marietta, Ohio 45750					
Acont	Kim Arnold		Operator NA			
Agent Permit Issue		or Own				
			AFFIDAVIT			
	EST VIRGINIA,	·				
County of Was	nington SS:					
Ben Smeltzer	an			being first duly	sworn according	to law depose
and say that th	ey are experienced in and participated in the	the work of plugging	and filling oil and	gas wells and were	employed by the	above named
the 28th	day ofJuly	, 20 <u>14</u> , and the	well was plugge	ed and filled in the	following manne	er:
TYPE	FROM	ТО	PIPE RE	MOVED	LEFT	<del> </del>
65 sacks Class A	1577'	1362'	nor		5 3/16 - 1738' & 6	
40 sacks Class A		731'	994' - 5		5 3/16-744' & 6 5	
106 sacks Class	252'	surface	non	ne .	5 3/16-744' & 6 5	6/8 - 1740'
6% gel spacers ru	n between cement plugs	( 300 lbs. of gel pumped )				
6 5/8" casing and annu	ulus grouted with Class A cement					
Description of	of monument: 3' - 4' × 6" o	casing; I.D. plate attached v	vith well name and per	mit number and that	the work of plug	gging and filling
said well was o	ompleted on the 1st	day ofAugust	, 20 14.		BRIALS	
And further	deponents saith not.	-/hm	milly			ELIZABETH R. TEBAY
			<i>''</i>	*		NOTARY PUBLIC In and For The State of Ohio
Sworn and s	subscribe before me th	is $5^{+2}$ day of $A$	ugust	20 14		My Commission Expires
My commission	expires: <u>2</u> -29-	14	Elinad		E DE O	
		w '1	<b>√</b> N	otary Public	7	
Affidavit review	ed by the Office of Oil	and Gas:	rel &	Titl	e: 0174	Gas Inspector
				<i>V V</i>		•

#### AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:^	Martin, Ronald D	D. & Sandra	Operator We	<sub>ll No.:</sub> B.F. Hav	wkins # 10	
LOCATION: E	Elevation: 905' GL	. (GPS 937')		Porters Falls		Received
	District: Ellswwo		County:	Tyler		Office of Oil & Gas
	atitude: 39.5329	0		Min	Sec	
	ongitude: <u>-80.849</u>		ofDog	v.iii	Gec.	OCT 3 0 2014
-	origitade.	reel vvesi	oibeg.	Nin	Sec.	
Well Type: Oil	L_XGAS_X					
Company _	riad Hunter, LLC	Coal	Operator	N/A		
_	125 Putnam Street	or O	wner	·		
_!	Marietta, Ohio 45750					
Agent	Kim Arnold		<u> </u>	N/A		
Permit Issued		or Ov	wner		<del></del>	
1 CIMIC ISSUED	Dute 122112				<u> </u>	<del></del>
	phio		AFFIDAVIT			
STATE OF Weshin						
County of Washin	gton ss:					
Ben Smeltzer	and			being first duly	sworn according to	to law depose
and say that they	are experienced in t	the work of pluggir	ng and filling oil and	d gas wells and wer	e employed by the	above named
well operator, a	nd participated in the _ day of _ August	work of plugging	and filling the ab	ove well say that	said work was cor	mmenced on
uic	_ day or	, 20 <u>14</u> , and t	ne wen was plugg	ed and med in th	e tollowing manner:	
TYPE	FROM	ТО	PIPE RE	MOVED	LEFT	
90 sks. Class A	1820'	1782'	no	one	5 3/16" - 1738' & 6 5/8	8"- 1732'
100 sks. Class A	1766'	1700'	no	one	5 3/16" - 1738' & 6 5/8	3" - 1732'
40 sks. Class A	1009'	762'	5 3/16*	' - 1009'	5 3/16" - 729' & 6 5/8'	
92 sks. Class A	220'	surface	no	one	5 3/16 - 729' & 6 5/8"	- 1732'
6% gel spacers pumpe	d between cement plugs.	( Total Gel = 600 lbs.)				<del></del>
	s with gravel and cement.	( / 500				
			- <del></del>			
	monument: 6" X 3' pip				it the work of plugg	ing and filling
said well was cor	mpleted on the 18th	_ day of _August	, 20 14.	ARIA	Le	
And further de	eponents saith not.	13m	mether		7	ADPTID THE
				*		ABETH R. TEBAY Itary public
		مكك	$\Lambda$ .	T. T. T.	In and Fo	or The State of Ohio
	bscribe before me th	iay () day of	typist	_, 20 <u></u>		mmission Expires
My commission e	expires: <u>2-29-</u>	16	Elya		Blok -	24-111
		m a	1 3,	Notary Public		
Affidavit reviewed	d by the Office of Oil	and Gas: _ \ \( \mu_{\text{}} \)	rail Do	<b>//</b>	itle: 61 46	ons Inspector
		<del></del>		1		

Ga

## STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

#### AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name: M	artin, Ronald D	. & Sandra	_Operator Well N	<sub>lo.:</sub> B.F. Haw	/kins # 11	
LOCATION: E	levation 938' GL	( GPS 943' )		_		
		h		Tyler		Received
	atitude: 39.5344	7 Feet South of	_ County			Office of Oil &
	andue	107 Feet South of	Deg	Min	Sec.	OCT 3 0 2014
Ľ	ongitude:	107 Feet West of	'Deg	Min	Sec.	,
Well Type: OIL	. X GAS X	<u> </u>				
Company T	riad Hunter, LL0	Coal O	perator N/A			
12	25 Putnam Street	or Own	ner			<del></del>
M	arietta, Ohio 45750					<del></del>
			Operator N/A			
	im Arnold	or Own	ner			
Permit Issued	Date <u>1/2/2014</u>	<u> </u>				<del></del>
STATE OF WES	•	,	AFFIDAVIT			
Ben Smeltzer	and	<u> </u>		being first duly	sworn according to la	aw depose
well operator, an	d participated in the	work of plugging a 2014, and the	and filling the above	well say that	e employed by the abo said work was comm e following manner:	ve named enced on
TYPE	FROM	ТО	PIPE REMO	OVED	LEFT	<del></del>
100 sks. Class A	1830'	1262'	none		5 3/16" - 1770' & 6 5/8" - 1	730'
40 sks. Class A	1041'	794'	none		as above	
57 sks. Class A	220'	surface	248' - 5 3/1	16"	5 3/16" - 1522' & 6 5/8" - 1	730'
6% gel spacers pumped	between cement plugs	(400 lbp. of got purposed)				
Cement circ. to surface		( 400 lbs. of get pumped ) of the 6 5/8" casing				
Description of r		onument pipe with I.D.	plate attached	and that	t the work of plugging	and filling
And further dep	ponents saith not.	Bon St	methor	(	ARIALO	ELIZABETH R. TEBAY
	scribe before me thi	<del></del> ,	yust , 20	JY (	In	NOTARY PUBLIC and For The State of Ohio My Commission Expires
My commission ex	cpires 2-29 /	<u>e</u>	Charact	ary Public	Section -	- CO (-110
Affidavit reviewed	by the Office of Oil	and Gas: Nich	ad Doff		ile: 0:1 4 Gas	Inspector

#### AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:_	Martin, Ronald I	D. & Sandra	Operator We	ell No.: B.F. Hav	wkins # 5	
LOCATION:	Elevation: 945' GL	(942' GPS)	Quadrande	. Porters Falls		
20071110111	District: Ellswort	h	County:	Tyler		
	Latitude: 39.5323	1 Feet South	of Dea			
	Longitude: -80.85	204 Feet 14/05	t of Deg	Min.	Sec.	
	Longitude.	Feet Wes	. oibeg.	IVIIII	Sec.	
Well Type: O	OIL X GAS X					
Company	Triad Hunter, LL	Coa	l Operator N/	Ά		
	125 Putnam Street	or C	wner			Received
	Marietta, Ohio 45750					ce of Oil & Gas
	12: 4 1:		al Operator N/	A		
	Kim Arnold		wner			OCT 3 0 2014
Permit Issue	d Date 12/11/13	3				<del></del>
STATE OF Wash	Ohio <del>EST VI</del> RG <del>INIA,</del> Ington ss:		AFFIDAVIT			
Ben Smeltzer	and	d _		being first duly	sworn according to la	w depose
the 14 th	day of	, 20 <u>14</u> , and	the well was plugg	ged and filled in the		enced on
TYPE 100 sks. Class A	FROM 1827	TO 1324'		EMOVED one	LEFT 1806'-5 3/8" & 1775'-6 5/	re*
45 sks. Class A	1041'	764'	<del> </del>	one	1806'-5 3/8" & 1775'-6 5/	
145 sks. Class A		surface		- 5 3/8"	1555'-5 3/8" & 1775'-6 5/	<del></del>
6% gel spacers betwe	een cement plugs ( 400 lbs.gel ).					
* Cement circulated	to surface on Inside and	outside of 6 5/8" casi	ng.			
•	of monument: 3' X 6" m			ached and the	at the work of plugging	and filling
said well was c	ompleted on the 21	_ day of July		KAR!	AL SE	
And further of	deponents saith not.	- Din	fmethy	7	2 - 2 - A - 2 - 2 - 2 - 2 - 2 - 2 - 2 -	BETH R. TEBAY ARY PUBLIC
Sworn and s	subscribe before me th	is 218+ day of	April	20 1 0	his Com	The State of Ohio Imission Expires
	expires: <u>2 - 29 -</u>		Elizati	Notary Public		
Affidavit review	ed by the Office of Oil	and Gas: <u>Rú</u>	Lad &	11	itle: Bil 4 G	sas Inspector

#### AFFIDAVIT OF PLUGGING AND FILLING WELL

rarm name:_	Martin, Ronald L	D. & Sandra	_Operator Well	No.: B.F. Hav	wkins # 6	
	Elevation: 864' GL					
		h			•	
	Latitude: 39.5323	1 Feet South of	_ Oodinty.	Min	Saa	Received
	Longitude: -80.850	D67 Feet West of	Deg	Ndin	sec. Off	ice of Oil &
	Longitude.	reet west of	Deg	iviin	Sec.	OCT 3 0 2014
Well Type: O	IL X GAS X					
Company	Triad Hunter, LLO	Coal O	perator N/A	·		
•	125 Putnam Street	or Own	ner			_
-	Marietta, Ohio 45750			-		_
Acomt	Kim Arnold		Operator N/A			
Agent Permit Issue		or Own	<u></u>			_
1 0111111 13340	200/20					_
		A	AFFIDAVIT			
STATE OF WE County of Washi	•					
Ben Smeltzer	and	4		baina finat dulu	and the second s	
and say that the		the work of plugging	and filling oil and	being first duly aas wells and we	sworn according to law de	pose amed
well operator, a	and participated in the	work of plugging a	nd filling the abo	ve well say that	said work was commenced	i on
the Zoth	day of August	20 14 and the				
	,	, 20 <u>14</u> , and the	well was plugge	ed and filled in th	e following manner:	
TYPE 75 sks. Class A	FROM 1130'	TO 730'	PIPE RE	MOVED	LEFT	
TYPE	FROM	ТО	PIPE RE	MOVED 16" casing		
TYPE 75 sks. Class A	FROM 1130'	TO 730'	PIPE RE 1130' - 5 3/	MOVED 16" casing	LEFT 148' - 5 3/16" csg. & 1695' 6 1/4" csg	
TYPE 75 sks. Class A 60 sks. ClassA	FROM 1130' 220'	TO 730' surface	PIPE RE 1130' - 5 3/	MOVED 16" casing	LEFT 148' - 5 3/16" csg. & 1695' 6 1/4" csg	
TYPE 75 sks. Class A 60 sks. ClassA 6% gel spacers pump	FROM 1130' 220'	TO 730' surface	PIPE RE 1130' - 5 3/	MOVED 16" casing	LEFT 148' - 5 3/16" csg. & 1695' 6 1/4" csg	
TYPE 75 sks. Class A 60 sks. ClassA	FROM 1130' 220'  ed between cement plugs 4 shots from 871'-872'	TO 730' surface	PIPE RE 1130' - 5 3/	MOVED 16" casing	LEFT 148' - 5 3/16" csg. & 1695' 6 1/4" csg	
TYPE 75 sks. Class A 60 sks. ClassA 6% gel spacers pump Perforated 6 1/4" casi Total cement pumpec	FROM 1130' 220'  ed between cement plugs ng 4 shots from 871'-872' = 135 sacks Class A	TO 730' surface  ( 300 lbs. of gel pumped ) 4 shots from 200'-201' Circulated cement to surface	PIPE RE 1130' - 5 3/ nor	MOVED 16* casing	LEFT 148' - 5 3/16" csg. & 1695' 6 1/4" csg	
TYPE 75 sks. Class A 60 sks. ClassA 6% gel spacers pump Perforated 6 1/4" casi Total cement pumped Description o	FROM  1130' 220'  ad between cement plugs ng 4 shots from 871'-872' = 135 sacks Class A  f monument: 3' X 6" st	TO 730' surface  (300 lbs. of gel pumped) 4 shots from 200'-201' Circutated cement to surface eel monument pipe with	PIPE RE 1130' - 5 3/ nor	MOVED 16" casing	LEFT 148' - 5 3/16" csg. & 1695' 6 1/4" csg	
TYPE 75 sks. Class A 60 sks. ClassA 6% gel spacers pump Perforated 6 1/4" casi Total cement pumped Description o	FROM 1130' 220'  ed between cement plugs ng 4 shots from 871'-872' = 135 sacks Class A	TO 730' surface  ( 300 lbs. of gel pumped ) 4 shots from 200'-201' Circulated cement to surface	PIPE RE 1130' - 5 3/ nor	MOVED 16" casing	LEFT 148' - 5 3/16" csg. & 1695' 6 1/4" csg as above	
TYPE  75 sks. Class A  60 sks. ClassA  6% gel spacers pump Perforated 6 1/4° casi Total cement pumped  Description of said well was considered.	FROM  1130' 220'  ad between cement plugs ng 4 shots from 871'-872' = 135 sacks Class A  f monument: 3' X 6" st	TO 730' surface  (300 lbs. of gel pumped) 4 shots from 200'-201' Circutated cement to surface eel monument pipe with	PIPE RE 1130' - 5 3/ nor	MOVED 16" casing	LEFT  148' - 5 3/16" csg. & 1695' 6 1/4" csg as above  at the work of plugging and fi	illing
TYPE  75 sks. Class A  60 sks. ClassA  6% gel spacers pump Perforated 6 1/4° casi Total cement pumped  Description of said well was considered.	FROM  1130' 220'  ad between cement plugs ng 4 shots from 871'-872' = 135 sacks Class A  f monument: 3' X 6" st empleted on the 18th	TO 730' surface  (300 lbs. of gel pumped) 4 shots from 200'-201' Circutated cement to surface eel monument pipe with	PIPE RE 1130' - 5 3/ nor	MOVED 16" casing	LEFT  148' - 5 3/16" csg. & 1695' 6 1/4" csg as above  at the work of plugging and fi	illing
TYPE  75 sks. Class A  60 sks. Class A  6% gel spacers pump Perforated 6 1/4° casi Total cement pumped  Description of said well was contained to the said well well well well well well well wel	FROM  1130' 220'  ad between cement plugs ng 4 shots from 871'-872' = 135 sacks Class A  f monument: 3' × 6" st empleted on the 18th eponents saith not.	TO 730' surface  (300 lbs. of gel pumped) 4 shots from 200'-201' Circulated cement to surface eel monument pipe with day of September	PIPE RE 1130' - 5 3/ nor	MOVED 16" casing	LEFT  148' - 5 3/16" csg. & 1695' 6 1/4" csg as above  at the work of plugging and fi	illing The records The records The State of Onio
TYPE  75 sks. Class A  60 sks. Class A  6% gel spacers pump Perforated 6 1/4° casi Total cement pumped  Description of said well was contained to the said well well well well well well well wel	FROM  1130' 220'  ad between cement plugs ng 4 shots from 871'-872' = 135 sacks Class A  f monument: 3' X 6" st empleted on the 18th	TO 730' surface  (300 lbs. of gel pumped) 4 shots from 200'-201' Circulated cement to surface eel monument pipe with day of September	PIPE RE 1130' - 5 3/ nor	MOVED 16" casing	LEFT  148' - 5 3/16" csg. & 1695' 6 1/4" csg as above  at the work of plugging and file  RIAL S  In and For I  My Comm	illing The management of the State of Onio hission Expanse
TYPE  75 sks. Class A  60 sks. ClassA  6% gel spacers pump Perforated 6 1/4° casi Total cement pumped  Description of said well was considered with the considered well as	FROM  1130' 220'  ad between cement plugs ng 4 shots from 871'-872' = 135 sacks Class A  f monument: 3' × 6" st empleted on the 18th eponents saith not.	TO 730' surface  (300 lbs. of gel pumped) 4 shots from 200'-201' Circulated cement to surface eel monument pipe with day of September	PIPE RE 1130' - 5 3/ nor  h I.D. plate attache 20 14/ moltische Line State Li	MOVED 16" casing ne ad and th	LEFT  148' - 5 3/16" csg. & 1695' 6 1/4" csg as above  at the work of plugging and file  RIAL S  In and For I  My Comm	illing The records The records The State of Onio
TYPE  75 sks. Class A  60 sks. ClassA  6% gel spacers pump Perforated 6 1/4° casi Total cement pumped  Description of said well was considered with the considered well as	FROM  1130' 220'  ad between cement plugs ng 4 shots from 871'-872' = 135 sacks Class A  f monument: 3' X 6" st empleted on the 18th eponents saith not.	TO 730' surface  (300 lbs. of gel pumped) 4 shots from 200'-201' Circulated cement to surface eel monument pipe with day of September	PIPE RE 1130' - 5 3/ nor  h I.D. plate attache 20 14/ moltische Line State Li	MOVED 16" casing	LEFT  148' - 5 3/16" csg. & 1695' 6 1/4" csg as above  at the work of plugging and file  RIAL S  In and For I  My Comm	illing The management of the State of Onio hission Expanse
TYPE  75 sks. Class A  60 sks. Class A  6% gel spacers pump Perforated 6 1/4* casi Total cement pumped  Description of said well was contained and further displayed and further displayed and self-self-self-self-self-self-self-self-	FROM  1130' 220'  ad between cement plugs ng 4 shots from 871'-872' = 135 sacks Class A  f monument: 3' X 6" st empleted on the 18th eponents saith not.	TO 730' surface  (300 lbs. of gel pumped) 4 shots from 200'-201' Circulated cement to surface eel monument pipe with day of September	PIPE RE 1130' - 5 3/ nor  h I.D. plate attache 20 14/ moltische Line State Li	MOVED 16" casing ne  and the case of the c	LEFT  148' - 5 3/16" csg. & 1695' 6 1/4" csg as above  at the work of plugging and file  RIAL S  In and For I  My Comm	illing The Property The State of Onio hissian Expense 29-100

#### AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name: Ma	artin, Ronald D	. & Sandra	_Operator Well	No.: B.F. Hawki	ns # 7 ( 50 ac.)	
LOCATION: El	evation: 953' (	943' GPS )	Quadrangle:	Porters Falls		
		h	_ County:	Tyler	1	Received
La	titude: 39.5329	6 Feet South of	Deg	Min	Sec.	Office of Oil & G
Lo	ongitude: <u>-80.85</u> 2	Peet West of	Deg.	Min	Sec.	OCT 3 0 2014
Well Type: OIL	X GAS X					
Company T	riad Hunter, LL	C Coal O	perator N/A			
	5 Putnam Street	or Owr	ner			
Ma	arietta, Ohio, 45750		)			
Agent K	im Arnold	or Own	Operator N/A			<del></del>
Permit Issued I			<u></u>			
						<del></del>
STATE OF WES	)hio	•	AFFIDAVIT			
County of Washingt	•					
D O						
Ben Smeltzer	and and and and and	d	and filling all and	being first duly	sworn according to re employed by the ab	law depose
well operator, and	d participated in the		nd filling the abo	ve well say that	said work was com	
TYPE	FROM	ТО	PIPE RE	MOVED	LEFT	
70 sks. Class A	1830'	1710'	nor	пе	5 3/8" & 6 5/8"	
45 sks. Class A	1038'	772'	1037' -	5 3/8"	710' - 5 3/8" & 1730' - 6	6 5/8 <b>"</b>
50 sks. Class A	221'	Surface	nor	18	As Above	
6% gel spacers between	cement plugs ( 300 lbs. gel )				<del></del>	
* Cernent circulated to	surface on inside and	outside of 6 5/8" casing.				
			· · · · · · · · · · · · · · · · · · ·			
		3-4 feet above ground	level with I.D. plate	attached. and the	at the work of pluggin	ng and filling
said well was com	pleted on the 15 th	_ day of _July	, 20 14.			
And further dep	onents saith not.	- Man J	mether		ORIAL SE	ELIZABETH R. TEBAY
Sworn and sub	scribe before me th	is <u> </u>	suly	20 14		HOTARY PUBLIC n and For The State of Ohio My Commission Expires
My commission ex	pires <u>Q-29-14</u>	<del></del>	Elyche	otary Public		2-29-16
Affidavit reviewed	by the Office of Oil	and Gas:		all T	itle: 01 4 G	es Inspector

#### AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name: Ma	artin, Ronald D	. & Sandra	_Operator Well	No.: J.T.A. H	lawkins # 8	
LOCATION: E	levation: 886' GL	( 902' GPS )	Quadrangle:	Porters Falls	S	
	istrict: Ellswort		_ County:	Tyler		Deschad
- La	atitude: 39.5332	1 Feet South of	_ Oddiny. Dea		Sec	Received
	ngitude: -80.84	Feet West of	Dog	Min	Sec.	Office of Oil & Gas
	J. 191444C	i eet vvest oi	Deg	iviiri	Sec.	OCT. 30 2014
Well Type: OIL	X GAS X	<del></del>				
Company T	riad Hunter, LL	C Coal O	perator N/A			
_12	5 Putnam Street	or Own	er			
Ma	aarietta, Ohio 45750					
	inn Amadal		perator N/A			
	im Arnold	or Own	er			
Permit Issued	Date 12/27/20	<u> </u>	-		<del> </del>	<del></del>
STATE OF WES	•	A	FFIDAVIT			
Ben Smeltzer	and				y sworn according	
well operator, an	d participated in the	the work of plugging a work of plugging ar , 20 <u>14</u> , and the	nd filling the abo	ve well say that	t said work was co	ommenced on
TYPE	FROM	ТО	PIPE REI	MOVED	LEFT	
75 sks. Class A	1700'	990'	1822' - 2"	tubing	5 3/16" - 1772' & 6 5	/8" - 1731'
35 sks. Class A	943'	727	943' - 5		5 3/16" - 829' & 6 5/8	8" - 1731'
62 sks. ClassA	220'	surface	non	e	as above	
6% gel spacers pumped	between cement plugs	( 400 lbs. of gel pumped )				
Circulated cement to surface		, , ,				<del></del>
Total cement pumped =	172 sacks Class A					
•	nonument: 3' X 6" st pleted on the 26th	eel monument pipe with	1.D. plate attache	d and th	nat the work of plugg	ging and filling
And further dep	oonents saith not.	_Bn fi	mtlhh	***************************************		ELIZABETH R. TEBAY NOTARY PUBLIC In and For The State of Ohio
Sworn and sub	scribe before me th	is 9th day of 5	ptember.	2014	TE DE ON	My Commission Expires 2-29-14
My commission ex	xpires: <u>2-29</u>	<u>llo</u>	Elizab	otary Public	<u>Jib</u>	
Affidavit reviewed	by the Office of Oil	and Gas: Tille	el Da	11	Title: Oil & G	us Inspector

#### AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:_	Charity Gas Co		_Operator Well	No.: James (Bren	.) Wood # 2	
LOCATION:	Elevation: 771' GI	_ ( 784' GPS )	_ Quadrangle:	Porters Falls		
		orth		Tyler		Received
	Latitude: 39.5316	66 Feet South of	. Dea	Min	Sec	Office of Oil & Gas
	Longitude: -80.85	Feet West of		Min	OCC.	
	Longitudo.	I cel west of	Deg		Sec.	OCT 3 0 2014
Well Type: C	OIL X GAS X					
Company	Triad Hunter, LL		perator N/A			
	125 Putnam Street	or Own	ner			
	Marietta, Ohio 45750					
	Kina Armald		Operator N/A	<del></del>		
Agent	Kim Arnold	or Owi	ner			
Permit Issue	ed Date <u>1/6/20</u>	14	-		<del></del>	
	Ohio		AFFIDAVIT			
	EST VIRGINIA,					
County of Wash	ss:					
Ben Smeltzer	a	nd		being first duly	sworn accordin	ng to law depose
		the work of plugging	and filling oil and	gas wells and were	employed by th	ne above named
well operator, the 19	and participated in the	e work of plugging a	nd filling the abo	ve well say that s	aid work was	commenced on
the	day of _cepterinet	, 20 <u>14</u> , and the	well was plugge	ed and filled in the	following manr	ner:
TYPE	FROM	ТО	PIPE REI	MOVED	LEF	T
100 sks. Class A	1688'	1575'	2" tbg		116'-2" tbg. & 1566	<del></del>
75 sks. Class A	1575'	1100'	Nor	10	1560' - 6 1/	'4" csg.
30 sks. Class A	1052'	886*	Nor	ne	1560' - 6 1/	/4" csg.
25 sks. Class A	786'	648'	Nor		1560' - 6 1/	
55 sks. Class A	252'	Surface	Nor	18	1560' - 6 1/	4" csg.
6% gel spacers pum	between cement plugsing 4 shots from 775' to 777		Total Cement Pum	and a 205 analys		
renolated 0 174 Cas	ang 4 shots hom 773 to 771	4 Shots from 200 to 202	rotal Cement Pum	ped = 205 sacks		
		steel monument pipe wi			the work of plu	ugging and filling
said well was o	ompleted on the 30	day of September	, 20 <u>14</u> .	ATILA		
And further	deponents saith not.	- Bun 1	mether			E, 1274224 B' 1483A
		17			A	u - And Thursday - Markay Public
		OUTT A	20/21		/ In a	out our The bilde of Orio
Sworn and s	subscribe before me t	his day of L	Krober	20 140	""   ()	Ty Commission Expires
My commission	expires: <u>2 -31-</u>	16	Elyab	A REOF		-3-1-4
		$\infty \cdot 1$	/ AA	otary Public	J.	,
Affidavit review	red by the Office of O	land Gas: _ Lucl	rael I	Title		24/2014
				<i>I</i> U	0,1 2 (	bas Inspector

Gas

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

#### AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	Charity Gas Co	D	Operator Well	No.: James (Br	en.) Wood # 7	
LOCATION:	Elevation: 821' G	L ( 823' GPS )				
		orth				
	Latitude: 39.532	63 Feet South o	f Dea	Min	Sec	Received
	Longitude: -80.86	6098 Feet West o	fDog fDeg	Wii i Min	sec. Sec.	Office of Oil &
Well Type: 0	DIL X GAS X					OCT 3 0 201
Company	Triad Hunter, Ll	-C Coal C	Operator N/A			
y	125 Putnam Street	or Ow	•			
	Marietta, Ohio 45750					<del></del>
		Coal	Operator N/A			<del> </del>
Agent	Kim Arnold	or Ow	•		<del></del>	
Permit Issue	ed Date 12/5/2	013				
STATE OF Wash	Ohio EST VIRCINIA, alington ss:		AFFIDAVIT			
Ben Smeltzer		n al		L		
		nd the work of plugging	and filling oil and	being first duly	sworn according	to law depose
well operator,	and participated in the	ne work of plugging a	and filling the abo	ve well sav that	said work was co	above named
the 1st	day of October	, 20 <u>14</u> , and the	e well was plugge	d and filled in th	e following manner	:
T)/DE	50014		T			
TYPE 165 sks. Class A	FROM	TO	PIPE REI		LEFT	
70 sks. Class A	1730' 1545'	1550' 1140'	2" tbg		165'-2" tbg. & 6 1	
30 sks. Class A	882'	716'	Non Non		6 1/4" csg.	
60 sks. Class A	220'	Surface	Non		6 1/4" csg. 6 1/4" csg.	
					5 114 Cog.	
6% gel spacers pum	ped between cement plug	s ( 300 lbs.of gel pumped )				<del></del>
Perforated 6 1/4" cas	ing 4 shots from 820 to 82	1' 4 shots from 200' to 201'	Total Cement Pump	ped = 325 sacks		
Description of	of monument: 3" X 6"	steel monument pipe wi	th I.D. plate attache	d and the	at the work of pluge	aing and filling
said well was c	ompleted on the 6th	day of October	<u>/, 20,14</u> .	65		,
And further	deponents saith not.	-Bon f	milher	*	The same	ELITABETH R. TERAY NOTARY PUBLIC
Sworn and s	subscribe before me t	his 24+ day of	tabec.	2d4	<b>"</b>	and For The State of Ohio My Commission Expires 2-29-10
My commission	expires:	14	Elych	eth ?- otary Public	Jub,	-
Affidavit review	ed by the Office of Oi	il and Gas: Much	had Do	11	01086 110: <u>10</u> /21	as Inspector

#### AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	Charity Gas Co.		Operator V	Vell No.: <u>James (</u>	(Bren.) Wood # 8	
LOCATION:	Elevation: 763' GI					
		th		Tyler		Received
	Latitude: 39.5334	5 Feet South		. Min	Sec	Office of Oil & Gas
	Longitude: -80.85	910 Feet West of	of De	ea Min	000.	OCT-30 2014
				·9····	000.	001 00 20
Well Type: (	OIL X GAS X	<del></del>				
Company	Triad Hunter, LL	C Coal	Operator	N/A		
	125 Putnam Street	or Ow	- —			
	Marietta, Ohio 45750					
A	Kim Arnold		- F	N/A		<del></del>
Agent		or Ow	ner			
Permit Issue	ed Date 12/05/2	<u> </u>				<del></del>
			AFFIDAVIT			
	EST VIRGINIA,					
County of Wast	ss:					
Ben Smeltzer	and	d		being first d	uly sworn according	to law denose
			1.600		,	a to tall dopood
and say that th	ey are experienced in	the work of plugging	g and tilling oil :	and gas wells and <sup>,</sup>	were employed by the	e above named
well operator,	ey are experienced in and participated in the	ine work of plugging work of plugging	g and filling oil: and filling the	and gas wells and above well sav th	were employed by the nat—said work was	commenced on
and say that th well operator, the 8th	and participated in the	ine work of plugging work of plugging	g and filling oil: and filling the	and gas wells and above well sav th	were employed by the	commenced on
well operator,	and participated in the	ine work of plugging work of plugging	g and filling oil and filling the se well was plu	and gas wells and above well sav th	were employed by the nat said work was an the following manner	commenced on er:
the 8th	and participated in theday of September	e work of plugging , 20 <u>14</u> , and th	and filling the se well was plu	and gas wells and above well say the	were employed by the nat—said work was	commenced on er:
the 8th  TYPE  75 sks. Class A  40 sks. ClassA	and participated in the day of September  FROM  1578'  852'	e work of plugging 2014, and th	and filling the se well was plu	and gas wells and above well say the gged and filled in REMOVED	were employed by the nat said work was an the following mann	commenced on er: - - - - 
well operator, the 8th  TYPE  75 sks. Class A	and participated in the day of September  FROM  1578'	e work of plugging  2014, and th	and filling the se well was plu	and gas wells and the above well say the above and filled in REMOVED	were employed by the nat said work was in the following manner LEFT 93' - 3" tubing & ar	commenced on er: chor packer casng
TYPE 75 sks. Class A 40 sks. Class A 95 sks. Class A	FROM  1578' 852' 220'	work of plugging work of plugging 2014, and th TO 1155' 652' surface	and filling the se well was plu	and gas wells and the above well say the above and filled in REMOVED 1111/2V tubing none	were employed by the said work was in the following manner LEFT 93' - 3" tubing & ar 1570' - 6 1/4"	commenced on er: chor packer casng
the 8th  TYPE  75 sks. Class A  40 sks. ClassA	FROM  1578' 852' 220'  bed between cement plugs	work of plugging work of plugging 20 14, and th  TO 1155' 652' surface  ( 400 lbs. of gel pumped )	and filling the se well was plu	and gas wells and the above well say the above and filled in REMOVED 1111/2V tubing none	were employed by the said work was in the following manner LEFT 93' - 3" tubing & ar 1570' - 6 1/4"	commenced on er: chor packer casng
the 8th  TYPE  75 sks. Class A  40 sks. Class A  95 sks. Class A	and participated in the day of September  FROM 1578' 852' 220'  bed between cement plugs ing 4 shots from 756'-757'	work of plugging work of plugging 2014, and th TO 1155' 652' surface	g and filling oil and filling the se well was plus PIPE 1580' - 2	and gas wells and the above well say the above and filled in REMOVED 1111/2V tubing none	were employed by the said work was in the following manner LEFT 93' - 3" tubing & ar 1570' - 6 1/4"	commenced on er: chor packer casng
TYPE 75 sks. Class A 40 sks. Class A 95 sks. Class A 95 sks. Class A Total cement pumpe	and participated in the day of September  FROM 1578' 852' 220'  bed between cement plugs ing 4 shots from 756'-757' d = 210 sacks Class A	work of plugging work of plugging 2014, and th  TO 1155' 652' surface  (400 lbs. of gel pumped ) 4 shots from 215'-216' Circulated cement to surface	g and filling the se well was plus PIPE 1580' - 2	and gas wells and the above well say the above well say the agged and filled in REMOVED  1111/2V tubing none none	were employed by the nat said work was in the following manner than 1570' - 6 1/4"	commenced on er: chor packer casng casing
TYPE 75 sks. Class A 40 sks. Class A 95 sks. Class A 95 sks. Class A Total cement pumpe  Description of	FROM 1578' 852' 220' bed between cement plugs ing 4 shots from 756'-757' d = 210 sacks Class A of monument: 3' X 6" st	work of plugging work of plugging 2014, and the TO 1155' 652' surface (400 lbs. of gel pumped ) 4 shots from 215'-216' Circulated cement to surface seel monument pipe w	and filling the se well was plus PIPE 1580' - 2	and gas wells and the above well say the agged and filled in REMOVED  2" 111/2V tubing none none ached and and and and and and and and ached and and above wells and and ached and and ached and and ached and and ached ached and ached ached and ached a	were employed by the said work was in the following manner LEFT 93' - 3" tubing & ar 1570' - 6 1/4"	commenced on er: chor packer casng casing
TYPE 75 sks. Class A 40 sks. Class A 95 sks. Class A 95 sks. Class A Total cement pumpe  Description of	and participated in the day of September  FROM 1578' 852' 220'  bed between cement plugs ing 4 shots from 756'-757' d = 210 sacks Class A	work of plugging work of plugging 2014, and the TO 1155' 652' surface (400 lbs. of gel pumped ) 4 shots from 215'-216' Circulated cement to surface seel monument pipe w	and filling the se well was plus PIPE 1580' - 2	and gas wells and the above well say the agged and filled in REMOVED  2" 111/2V tubing none none ached and and and and and and and and ached and and above wells and and ached and and ached and and ached and and ached ached and ached ached and ached a	were employed by the said work was an the following manner of the following manner of the following was an	commenced on er: chor packer casng casing
TYPE  75 sks. Class A  40 sks. Class A  95 sks. Class A  96 gel spacers pump  Perforated 6 1/4" cas  Total cement pumpe  Description cosaid well was co	FROM 1578' 852' 220' bed between cement plugs ing 4 shots from 756'-757' d = 210 sacks Class A of monument: 3' X 6" st	work of plugging work of plugging 2014, and the TO 1155' 652' surface (400 lbs. of gel pumped ) 4 shots from 215'-216' Circulated cement to surface seel monument pipe w	and filling the se well was plus PIPE 1580' - 2	and gas wells and the above well say the agged and filled in REMOVED  2" 111/2V tubing none none ached and and and and and and and and ached and and above wells and and ached and and ached and and ached and and ached ached and ached ached and ached a	were employed by the said work was an the following manner of the following manner of the following was an	commenced on er:
TYPE  75 sks. Class A  40 sks. Class A  95 sks. Class A  96 gel spacers pump  Perforated 6 1/4" cas  Total cement pumpe  Description cosaid well was co	and participated in the day of September  FROM  1578'  852'  220'  bed between cement plugs ling 4 shots from 756'-757'  d = 210 sacks Class A  of monument: 3' X 6" stompleted on the 15th	work of plugging work of plugging 2014, and the TO 1155' 652' surface (400 lbs. of gel pumped ) 4 shots from 215'-216' Circulated cement to surface seel monument pipe w	and filling the se well was plus PIPE 1580' - 2	and gas wells and the above well say the agged and filled in REMOVED  2" 111/2V tubing none none ached and and and and and and and and ached and and above wells and and ached and and ached and and ached and and ached ached and ached ached and ached a	were employed by the nat said work was in the following manner the following manner to the following a said to the following a	commenced on er:  chor packer casing casing gging and filling  FI !TABETH R. TEBAY NOTABY PUBLIC
TYPE  75 sks. Class A  40 sks. Class A  95 sks. Class A  8% gel spacers pump  Perforated 6 1/4" cas  Total cement pumpe  Description cosaid well was companied with the cosaid well was companied and further cosaid well was cosaid well was companied and further cosaid well was companied and further cosaid well was companied and further cosaid well was	and participated in the day of September  FROM  1578'  852'  220'  bed between cement plugs ing 4 shots from 756'-757' d = 210 sacks Class A  of monument: 3' X 6" stompleted on the 15th deponents saith not.	work of plugging work of plugging, 2014, and the TO 1155' 652' surface (400 lbs. of gel pumped) 4 shots from 215'-216' Circulated cement to surface leel monument pipe we day of September	and filling the se well was plus PIPE 1580' - 2	and gas wells and the above well say the agged and filled in REMOVED  2" 111/2V tubing none none ached and and and and and and and and ached and and above wells and and ached and and ached and and ached and and ached ached and ached ached and ached a	were employed by the nat said work was in the following manner the following manner to the following a said to the following a	commenced on er:
TYPE  75 sks. Class A  40 sks. Class A  95 sks. Class A  8% gel spacers pump  Perforated 6 1/4" cas  Total cement pumpe  Description cosaid well was companied with the cosaid well was companied and further cosaid well was cosaid well was companied and further cosaid well was companied and further cosaid well was companied and further cosaid well was	and participated in the day of September  FROM  1578'  852'  220'  bed between cement plugs ing 4 shots from 756'-757' d = 210 sacks Class A  of monument: 3' X 6" stompleted on the 15th deponents saith not.	work of plugging work of plugging, 2014, and the TO 1155' 652' surface (400 lbs. of gel pumped) 4 shots from 215'-216' Circulated cement to surface leel monument pipe we day of September	and filling the se well was plus PIPE 1580' - 2	and gas wells and the above well say the agged and filled in REMOVED  2" 111/2V tubing none none ached and and and and and and and and ached and and above wells and and ached and and ached ached and ached ached and ached a	were employed by the nat said work was in the following manner the following manner to the following a said to the following a	commenced on er:  chor packer casing casing gging and filling  FI !TABETH R. TEBAY NOTABY PUBLIC
TYPE  75 sks. Class A  40 sks. Class A  95 sks. Class A  96 gel spacers pump Perforated 6 1/4" cas Total cement pumpe  Description c said well was c  And further c	and participated in the day of September  FROM  1578'  852'  220'  bed between cement plugs ing 4 shots from 756'-757'  d = 210 sacks Class A  of monument: 3' X 6" stompleted on the 15th deponents saith not.	the work of plugging work of plugging 2014, and the TO 1155' 652' surface  ( 400 lbs. of gel pumped ) 4 shots from 215'-216' Circutated cement to surface day of September day of September	and filling the se well was plus PIPE 1580' - 2	and gas wells and the above well say the agged and filled in REMOVED  2" 111/2V tubing none none ached and and and and and and and and ached and and above wells and and ached and and ached ached and ached ached and ached a	were employed by the nat said work was in the following manner the following manner to the following a said to the following a	gging and filling  FI !TABETH R. TEBAY NOTARY PUBLIC In and For The State of Ohio  B. Commission Expires
TYPE  75 sks. Class A  40 sks. Class A  95 sks. Class A  96 gel spacers pump Perforated 6 1/4" cas Total cement pumpe  Description c said well was c  And further c	and participated in the day of September  FROM  1578'  852'  220'  bed between cement plugs ing 4 shots from 756'-757' d = 210 sacks Class A  of monument: 3' X 6" stompleted on the 15th deponents saith not.	the work of plugging work of plugging 2014, and the TO 1155' 652' surface  ( 400 lbs. of gel pumped ) 4 shots from 215'-216' Circutated cement to surface day of September day of September	and filling the se well was plus PIPE 1580' - 2	and gas wells and above well say the gged and filled in REMOVED 1111/2V tubing none none ached and 12.	were employed by the nat said work was in the following manner the following manner to the following a said to the following a	gging and filling  FI !TABETH R. TEBAY NOTARY PUBLIC In and For The State of Ohio  B. Commission Expires
well operator, the 8th  TYPE 75 sks. Class A 40 sks. Class A 95 sks. Class A 95 sks. Class A  8% gel spacers pump Perforated 6 1/4* cas Total cement pumpe  Description cosaid well was community And further cosaid well was community  Sworn and significant community  My commission	and participated in the day of September  FROM  1578' 852' 220'  bed between cement plugs ing 4 shots from 756'-757' d = 210 sacks Class A  of monument: 3' X 6" stompleted on the 15th deponents saith not.  ubscribe before me the expires: 2-2-3-4"	the work of plugging work of plugging 2014, and the TO 1155' 652' surface  (400 lbs. of gel pumped ) 4 shots from 215'-216' Circutated cement to surface deel monument pipe we day of September	and filling the se well was plus PIPE 1580' - 2	and gas wells and the above well say the agged and filled in REMOVED  2" 111/2V tubing none none ached and and and and and and and and ached and and above wells and and ached and and ached ached and ached ached and ached a	were employed by the said work was in the following manner the following manner that the work of plus the work of pl	gging and filling  FI !TABETH R. TEBAY NOTARY PUBLIC n and For The State of Ohio h, Commission Expires
well operator, the 8th  TYPE 75 sks. Class A 40 sks. Class A 95 sks. Class A 95 sks. Class A  8% gel spacers pump Perforated 6 1/4* cas Total cement pumpe  Description cosaid well was community And further cosaid well was community  Sworn and significant community  My commission	and participated in the day of September  FROM  1578'  852'  220'  bed between cement plugs ing 4 shots from 756'-757'  d = 210 sacks Class A  of monument: 3' X 6" stompleted on the 15th deponents saith not.	the work of plugging work of plugging 2014, and the TO 1155' 652' surface  (400 lbs. of gel pumped ) 4 shots from 215'-216' Circutated cement to surface deel monument pipe we day of September	and filling the se well was plus PIPE 1580' - 2	and gas wells and above well say the gged and filled in REMOVED 1111/2V tubing none none ached and 12.	were employed by the said work was in the following manner the following manner that the work of plus the work of pl	gging and filling  FI !TABETH R. TEBAY NOTARY PUBLIC In and For The State of Ohio  B. Commission Expires